# Sick Day Management (Type 2)

# There are 3 important things to consider when you are sick:

### 1 Stay hydrated

- Aim for 1 cup of sugar-free, caffeine free liquids every hour
- Drink water, herbal teas, or try sipping on clear broth
- If you are having frequent vomiting or diarrhea, and begin to feel dizzy or light-headed, this may be a sign of dehydration





## 2 Consider stopping some of your medications

- If you become dehydrated, you will need to temporarily stop taking certain medications
- Plan a visit with your pharmacist well in advance of a sick day to learn which of your medications will need to be stopped
- Restart your medications once you are able to keep yourself hydrated

	<b>My pills</b> : (ask your pharmacist which of <i>your</i> medications fall into this list)
Some blood pressure pills	
Some diabetes pills	
Some pain pills	

#### What about my insulin?

- Continue taking your long acting (background) insulin.
- You may need to adjust your doses while you are ill. Speak to your diabetes educator about how to make these adjustments.

#### 3 Test your blood sugar

Being sick can cause your blood sugar levels to rise.

- You may need to test your blood sugar more frequently when you are sick.
- If you take insulin for your diabetes, test your blood sugar at least every 4 hours.
- Preventing high and low blood sugars can speed up your recovery.





# **Sick Day Medication List**

Stop taking these medications if you are sick and unable to stay hydrated.

Diabetes Pills	Glumetza®/Glucophage® (Metformin)	Forxiga® (Dapagliflozin)
	Invokana® (Canagliflozin)	Jardiance® (Empagliflozin)
Blood Pressure Pills	Vasotec® (Enalapril)	Atacand® (Candesartan)
	Monopril® (Fosinopril)	Teveten® (Eprosartan)
	Prinivil®/Zestril® (Lisinopril)	Avapro® (Irbesartan)
	Coversyl® (Perindopril)	Cozaar® (Losartan)
	Accupril ® (Quinapril)	Olmetec® (Olmesartan)
	Altace® (Ramipril)	Micardis® (Telmisartan)
	Mavik® (Trandolapril)	Diovan® (Valsartan)
	Lasix® (Furosemide)	Hydrochlorothiazide
	Hygroton® (Chlorthalidone)	Zaroxolyn® (Metolazone)
	Lozide® (Indapamide)	Aldactone® (Spironolactone)
Anti-Inflammatory Pain	Advil®/Motrin® (Ibuprofen)	Toradol® (Ketorolac)
Medications	Celebrex® (Celecoxib)	Aleve®/Naprosyn® (Napoxen)
	Voltaren® (Diclofenac)	

